

What is claimed is:

1. A network comprising:

a user node having a browser program coupled to said network, said user node providing requests for information on said network;

a content provider node having a respective content provider web site responsive to requests for information from said user node to provide media content and advertising space for display of direct advertising content;

an advertiser node having an advertiser web site including direct advertising content, said advertiser node responsive to a request from said user node to provide said direct advertising content, said advertiser node further providing a feedback signal representing user transactions at said advertiser node; and

an advertisement server node responsive to a request from said user node and said feedback signal to select an advertiser node as a selected advertiser node, and identify said advertiser node as said selected advertiser node to said user node,

whereby said direct advertising content from said selected advertiser node is displayed at said user node.

2. A network in accordance with claim 1, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.

3. A network in accordance with claim 1, wherein said advertisement server node selects said advertiser node based on the number of times said direct advertising content has been previously displayed at said user node.

4. A network in accordance with claim 1, wherein said advertisement server node selects said advertiser node based on the historical statistical conversion rate of said direct advertising content.

5. A network in accordance with claim 1, wherein said advertisement server node selects said advertiser node based on the cost per action of said direct advertising content.

6. A network in accordance with claim 1, wherein said feedback signal is an email from said advertiser node to said advertisement server node.

R11126
7. In a network having a user node including a browser program coupled to said network, said user node providing requests for information on said network, a content provider node having a respective content provider web site responsive to requests for information from said user node to provide media content and advertising space for display of direct advertising content, a plurality of advertiser nodes, each of said plurality of advertiser nodes having a respective direct advertiser web site including respective direct advertising content, each of said advertiser nodes responsive to a respective request from said user node to provide respective direct advertising content, said network providing a feedback signal representing user transactions at said advertiser node, a network node comprising:

an advertisement server node responsive to a request from said user node and said feedback signal to select an advertiser node as a selected advertiser node, and identify said advertiser node as said selected advertiser node to said user node, whereby said direct advertising content from said selected advertiser node is displayed at said user node.

8. An advertisement server node in accordance with claim 7, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.

9. An advertisement server node in accordance with claim 7, wherein said advertisement server node selects said advertiser node based on the number of times said direct advertising content has been previously displayed at said user node.

10. An advertisement server node in accordance with claim 7, wherein said advertisement server node selects said advertiser node based on the historical statistical conversion rate of said direct advertising content.

11. An advertisement server node in accordance with claim 7, wherein said advertisement server node selects said advertiser node based on the cost per action of said direct advertising content.

12. An advertisement server node in accordance with claim 7, wherein said feedback signal is an email from said advertiser node to said advertisement server node.

13. An apparatus for delivery of direct advertisements from a plurality of advertisers in an advertising medium, said apparatus comprising:

a memory storing a database comprising a plurality of direct advertisements, and historical results of previous placements of said plurality of direct advertisements in said advertising medium;

an advertisement server including a predictive model for selecting one of said plurality of advertisements based on said historical results;

an output device to display a selected one of said plurality of direct advertisements from a selected advertiser from said plurality of advertisers to a user; and

a feedback signal to said advertisement server, said feedback signal providing the results of any transaction between said user and said selected advertiser, said result being stored in said memory containing historical results of previous placements of said plurality of direct advertisements.

14. An apparatus in accordance with claim 13, wherein said advertisement server selects said advertiser node based on the characteristics of said user.

15. An apparatus in accordance with claim 13, wherein said advertisement server selects said advertiser node based on the number of times said direct advertising content has been previously displayed at said user node.

16. An apparatus in accordance with claim 13, wherein said advertisement node selects said advertiser node based on the historical statistical conversion rate of said direct advertising content.

17. An apparatus in accordance with claim 13, wherein said advertisement server selects said advertiser node based on the cost per action of said direct advertising content.

18. An apparatus in accordance with claim 13, wherein said feedback signal is an email from said advertiser node to said advertisement server node.

19. A network comprising:

a user node having a browser program coupled to said network, said user node providing requests for information on said network;

a content provider node having a respective content provider web site responsive to requests for information from said user node to provide media content and advertising space for display of direct advertising content;

an advertisement server node responsive to a request from said user node to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node,

whereby said advertising banner from said direct advertisement server node is displayed at said user node in said advertising space, and wherein said advertisement server node is responsive to a request from said user node to identify a direct advertiser web site corresponding to said advertising banner; and

an advertiser node having a direct advertiser web site including direct advertising content corresponding to said advertising banner, said advertiser node responsive to a

request from said user node to provide said direct advertising content corresponding to the selection of said advertising banner by said user, said advertiser node providing a feedback signal to said advertisement server node representing user transactions at said advertiser node, whereby said direct advertising content from said advertiser node is displayed at said user node, and transaction by said user are reported to said advertisement server node.

20. A network in accordance with claim 19, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.

21. A network in accordance with claim 19, wherein said advertisement server node selects said advertiser node based on the number of times said direct advertising content has been previously displayed at said user node.

22. A network in accordance with claim 19, wherein said advertisement server node selects said advertiser node based on the historical statistical conversion rate of said direct advertising content.

23. A network in accordance with claim 19, wherein said advertisement server node selects said advertiser node based on the cost per action of said direct advertising content.

24. A network in accordance with claim 19, wherein said feedback signal is an email from said advertiser node to said advertisement server node.

25. In a network comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, a content provider node having a respective content provider web site responsive to requests for information from said user node to provide media content and advertising space for display of direct advertising content, and an advertiser node having a direct advertiser web site including direct advertising content corresponding to said advertising banner, said advertiser node responsive to a request from said user node to provide said direct advertising content corresponding to the selection of said advertising banner by said user, said network providing a feedback signal representing user transactions at said advertiser node, a network node comprising:

an advertisement server node responsive to a request from said user node to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node, wherein said advertisement server node is responsive to a request from said user node and said feedback signal to identify a direct advertiser web site corresponding to said advertising banner, whereby said advertising banner from said advertisement server node is displayed at said user node in said advertising space, and whereby said direct advertising content from said selected advertiser node is displayed at said user node.

26. An advertisement server node in accordance with claim 25, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.

27. An advertisement server node in accordance with claim 25, wherein said advertisement server node selects said advertiser node based on the number of times said direct advertising content has been previously displayed at said user node.

28. An advertisement server node in accordance with claim 25, wherein said advertisement server node selects said advertiser node based on the historical statistical conversion rate of said direct advertising content.

29. An advertisement server node in accordance with claim 25, wherein said advertisement server node selects said advertiser node based on the cost per action of said direct advertising content.

30. An advertisement server node in accordance with claim 25, wherein said feedback signal is an email from said advertiser node to said advertisement server node.

31. An advertisement server node in accordance with claim 25, wherein said feedback signal is an email from said advertiser node to said advertisement server node.

32.
31. In a network including a user node having a browser program coupled to said network, a content provider node having a respective content provider web site containing media content and advertising space for display of direct advertising content and an advertisement server node, said system further comprises an advertiser node having a direct advertiser web site including direct advertising content,

said network providing a feedback signal representing prior user transactions at said advertiser node, a method for delivery of direct advertising to said user node, said method comprising:

sending a request for information from said user node to said content provider web site requesting information;

sending a reply from said content provider web site responsive to said request for information from said user node, containing media content and advertising space for display of direct advertising content;

sending a request from said user node to said advertisement server node to provide an advertising banner for said advertising space;

selecting, at said advertisement server node, responsive in part to said feedback signal, an advertising banner;

sending a reply from said advertisement server node identifying said advertising banner to said user node; and

displaying said advertising banner in said advertising space at said user node;

sending a request from said user node to said advertisement server node responsive to selection of said advertising banner at said user node;

sending a reply from said advertisement server node to said user node identifying said direct advertiser web site corresponding to said advertising banner;

sending a request from said user node to said direct advertiser web site to provide said direct advertising content corresponding to said advertising banner by said user;

sending a reply from said direct advertiser web site to said user node; and

displaying said direct advertising content at said user node.

32. A network in accordance with claim 31, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.

R1.126 ~~33~~ 34.

33. A network in accordance with claim 31, wherein said advertisement server node selects said advertiser node based on the number of times said direct advertising content has been previously displayed at said user node.

R1.126

~~35~~ 34.

34. A network in accordance with claim 31, wherein said advertisement server node selects said advertiser node based on the historical statistical conversion rate of said direct advertising content.

R1.126

~~36~~ 35.

35. A network in accordance with claim 31, wherein said advertisement server node selects said advertiser node based on the cost per action of said direct advertising content.

R1.126

~~37~~ 36.

36. A network in accordance with claim 31, wherein said feedback signal is an email from said advertiser node to said advertisement server node.

R1.126

~~38~~ 37.

37. In a network including a user node having a browser program coupled to said network, a content provider node having a respective content provider web site containing media content and advertising space for display of direct advertising content, an advertisement server node, and an advertiser node having a direct advertiser web site including direct advertising content, said network providing

a feedback signal representing user transactions at said advertiser node, a method for delivery of direct advertising content to said user node said method comprising:

sending a request for information from said user node to said content provider web site requesting information;

sending a reply from said content provider web site, responsive to said request for information from said user node, containing media content and advertising space for display of direct advertising content;

sending a request from said user node to said advertisement server node to select an advertiser node;

selecting, at said advertisement server node, responsive in part to said feedback signal, an advertiser node;

sending a reply from said advertisement server node to said user node identifying said selected advertiser node;

sending a request from said user node to said advertiser node to provide said direct advertising content to said user node;

sending a reply from said direct advertiser web site to said user node containing said direct advertising content; and

displaying said direct advertising content at said user node.

R1.126

~~39.~~

38. A network in accordance with claim 37, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.

R1.126

~~40.~~

39. A network in accordance with claim 37, wherein said advertisement server node selects said advertiser node based on the number of times said direct advertising content has been previously displayed at said user node.

R1.126

~~41.~~

40. A network in accordance with claim 37, wherein said advertisement server node selects said advertiser node based on the historical statistical conversion rate of said direct advertising content.

R1.126

~~42.~~

41 network in accordance with claim 37, wherein said advertisement server node selects said advertiser node based on the cost per action of said direct advertising content.

R1.126

~~43~~
~~42~~

A network in accordance with claim 37, wherein said feedback signal is an email from said advertiser node to said advertisement server node.

R1.126

~~44~~
~~43~~

In a network including a user node having a browser program coupled to said network, a content provider node having a respective content provider web site containing media content and advertising space for display of direct advertising content, an advertisement server node, and an advertiser node having a direct advertiser web site including direct advertising content, a method for delivery of direct advertising content to said user node said method comprising:

sending a request for information from said user node to said content provider web site requesting information;

sending a reply from said content provider web site, responsive to said request for information from said user node, containing media content and advertising space for display of direct advertising content;

sending a request from said user node to said advertisement server node to select an advertiser node;

selecting, at said advertisement server node, an advertiser node;

sending a reply from said advertisement server node to said user node identifying said selected advertiser node;

sending a request from said user node to said advertiser node to provide said direct advertising content to said user node;

sending a reply from said direct advertiser web site to said user node containing said direct advertising content;

displaying said direct advertising content at said user node;

performing a transaction responsive to said direct advertising content; and

reporting said transaction in a feedback signal to said advertisement server node.

R1.126 45: 44. A network in accordance with claim 43, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.

R1.126

~~46~~
~~45.~~

A network in accordance with claim 43, wherein said advertisement server node selects said advertiser node based on the number of times said direct advertising content has been previously displayed at said user node.

R1.126

~~47~~
~~46.~~

A network in accordance with claim 43, wherein said advertisement server node selects said advertiser node based on the historical statistical conversion rate of said direct advertising content.

R1.126

~~48~~
~~47.~~

A network in accordance with claim 43, wherein said advertisement server node selects said advertiser node based on the cost per action of said direct advertising content.

R1.126

~~49~~
~~48.~~

A network in accordance with claim 43, wherein said feedback signal is an email from said advertiser node to said advertisement server node.

R1.126

~~50~~
~~49.~~

A network comprising:

a user node having a browser program coupled to said network, said user node providing requests for information on said network;

a content provider node having a respective content provider web site responsive to requests for information from said user node to provide media content and advertising space for display of direct advertising content;

a proxy node coupled to said user node and adapted for receiving a request from said proxy node;

an advertiser node having an advertiser web site including direct advertising content, said advertiser node responsive to a request from said proxy node to provide said direct advertising content, said proxy node further providing a feedback signal representing user transactions at said advertiser node; and

an advertisement server node responsive to a request from said user node and said feedback signal to select an advertiser node as a selected advertiser node, and identify said advertiser node as said selected advertiser node to said user node,

whereby said direct advertising content from said selected advertiser node is displayed at said user node.

R1.126

~~51.~~

50. A network in accordance with claim 49, wherein said advertisement server selects said advertiser node based on the characteristics of said user.

R1.126

~~52.~~

51. A network in accordance with claim 49, wherein said advertisement server selects said advertiser node based on the number of times said direct advertising content has been previously displayed at said user node.

R1.126

~~53.~~

52. A network in accordance with claim 49, wherein said advertisement server selects said advertiser node based on the historical statistical conversion rate of said direct advertising content.

R1.126

~~54.~~

53. A network in accordance with claim 49, wherein said advertisement server selects said advertiser node based on the cost per action of said direct advertising content.

R1.126

~~55.~~

54. A network comprising:

a user node having a browser program coupled to said network, said user node providing requests for information on said network;

a content provider node having a respective content provider web site responsive to requests for information from said user node to provide media content and advertising space for display of direct advertising content;

an advertisement server node responsive to a request from said user node to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node,

whereby said advertising banner from said direct advertisement server node is displayed at said user node in said advertising space,

wherein said advertisement server node is responsive to a request from said user node to identify a direct advertiser web site corresponding to said advertising banner; and

a proxy node coupled to said user node and adapted for receiving a request from said user node;

an advertiser node having a direct advertiser web site including direct advertising content corresponding to said advertising banner, said advertiser node responsive to a

request from said proxy node to provide said direct advertising content corresponding to the selection of said advertising banner by said user, said proxy node providing a feedback signal to said advertisement server node representing user transactions at said advertiser node,

whereby said direct advertising content from said advertiser node is displayed at said user node, and user transactions by said user are reported to said advertisement server.

RI126 56. A network in accordance with claim 54, wherein said advertisement server selects said advertiser node based on the characteristics of said user.

RI126 57. A network in accordance with claim 54, wherein said advertisement server selects said advertiser node based on the number of times said direct advertising content has been previously displayed at said user node.

RI126 58. A network in accordance with claim 54, wherein said advertisement server selects said advertiser node based on the historical statistical conversion rate of said direct advertising content.

R1.126

~~58.~~ A network in accordance with claim 54, wherein said advertisement server selects said advertiser node based on the cost per action of said direct advertising content.

R1.126

~~59.~~ A network comprising:

a first node having a browser program coupled to said network, said first node responsive to a user at said first node to provide requests for information on said network;

a second node having a commerce engine web site, said second node having a transaction processor to implement a transaction responsive to a request from said user; and

a third node between said first node and said second node, and coupled to said first and second nodes, said third node having a transaction monitor which monitors communication between said first node and said second node to determine whether a transaction requested by said user has occurred at said second node, and generate a feedback signal to report said transaction.

R1.126

~~60.~~ In a network having a user node including a browser program at said user node coupled to said network, an advertiser node having a direct advertiser web site

including a commerce engine for implementing a transaction between said user node and said direct advertiser web site, and a proxy node coupled to said user node and said advertiser node, a method at said proxy node comprising:

sending a first request to perform a transaction from said user node to said proxy node;

receiving said first request at said proxy node;

forwarding a second request from said proxy node to said direct advertiser web site;

receiving a first reply from said direct advertiser web site at said proxy node;

forwarding a second reply from said proxy node to said user node;

detecting at said proxy node, a pre-configured data pattern representing a transaction at said advertiser node; and

generating a feedback signal responsive to detecting said pre-configured data pattern, said feedback signal

representing a completed transaction at said direct advertiser web site.

R1.126 62. In a network having a user node including a browser program at said user node coupled to said network, an advertiser node having a direct advertiser web site including a commerce engine for implementing a transaction between said user node and said direct advertiser web site, and a proxy node coupled to said user node and said advertiser node, an apparatus at said proxy node comprising:

means for sending a first request to perform a transaction from said user node to said proxy node;

means for receiving said first request at said proxy node;

means for forwarding a second request from said proxy node to said direct advertiser web site;

means for receiving a first reply from said direct advertiser web site at said proxy node;

means forwarding a second reply from said proxy node to said user node;

年次	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100																																																																																																		
人口	115,000	116,000	117,000	118,000	119,000	120,000	121,000	122,000	123,000	124,000	125,000	126,000	127,000	128,000	129,000	130,000	131,000	132,000	133,000	134,000	135,000	136,000	137,000	138,000	139,000	140,000	141,000	142,000	143,000	144,000	145,000	146,000	147,000	148,000	149,000	150,000	151,000	152,000	153,000	154,000	155,000	156,000	157,000	158,000	159,000	160,000	161,000	162,000	163,000	164,000	165,000	166,000	167,000	168,000	169,000	170,000	171,000	172,000	173,000	174,000	175,000	176,000	177,000	178,000	179,000	180,000	181,000	182,000	183,000	184,000	185,000	186,000	187,000	188,000	189,000	190,000	191,000	192,000	193,000	194,000	195,000	196,000	197,000	198,000	199,000	200,000	201,000	202,000	203,000	204,000	205,000	206,000	207,000	208,000	209,000	210,000	211,000	212,000	213,000	214,000	215,000	216,000	217,000	218,000	219,000	220,000	221,000	222,000	223,000	224,000	225,000	226,000	227,000	228,000	229,000	230,000	231,000	232,000	233,000	234,000	235,000	236,000	237,000	238,000	239,000	240,000	241,000	242,000	243,000	244,000	245,000	246,000	247,000	248,000	249,000	250,000	251,000	252,000	253,000	254,000	255,000	256,000	257,000	258,000	259,000	260,000	261,000	262,000	263,000	264,000	265,000	266,000	267,000	268,000	269,000	270,000	271,000	272,000	273,000	274,000	275,000	276,000	277,000	278,000	279,000	280,000	281,000	282,000	283,000	284,000	285,000	286,000	287,000	288,000	289,000	290,000	291,000	292,000	293,000	294,000	295,000	296,000	297,000	298,000	299,000	300,000	301,000	302,000	303,000	304,000	305,000	306,000	307,000	308,000	309,000	310,000	311,000	312,000	313,000	314,000	315,000	316,000	317,000	318,000	319,000	320,000	321,000	322,000	323,000	324,000	325,000	326,000	327,000	328,000	329,000	330,000	331,000	332,000	333,000

~~Add~~
a

~~Add~~
B